

A photograph of a modern hallway. The left wall is covered in vertical wood paneling. The floor is a light-colored polished concrete. The ceiling is white with integrated linear lighting. On the right, there are glass partitioned rooms, likely offices. The hallway curves slightly to the right.

**Beautiful.
Cost-efficient.
Compliant.**

3M™ DI-NOC™ Architectural Finishes

Updating your facility's décor doesn't
have to be complicated.

The look you want without the disruption.

Keep your building beautiful without inconveniencing your guests.

3M™ DI-NOC™ Architectural Finishes give you hundreds of cost-efficient ways to replace outdated finishes and refresh your space — with minimal down time, noise and dust.

- Fast, easy application helps you refinish existing structures to create a new look almost overnight.
- Designs that resemble natural materials provide a clean, high-end look.
- Abstract, matte and colored finishes convert surfaces including metal, wood and glass to reflect an entirely new design.
- Versatile, easy-to-use material is ideal for casework, doors, columns, walls and more.

Before



After




Before



After





Not just a pretty face.

Renew your space without the disruption, downtime, expense and loss of use that results from a typical renovation. 3M™ DI-NOC™ Architectural Finishes help you transform your spaces and meet your other critical objectives.



Efficiency

Easy application — 3M™ Comply™ adhesive technology virtually eliminates air bubbles and holds a powerful bond to many substrates.



Durability

Ensure your facility will look great for years to come with a warranty of 5 to 10 years depending on the application.



Sustainability

Help acquire LEED credits for your facility and minimize your impact on the environment with materials that are engineered to refurbish permanently installed interior elements or furnishings with low emitting materials.



Fire Safety

Stay compliant with materials that have a NFPA 101 "Life Safety Code", Test Method ASTM E84 Class A fire rating for most products.



Easy to Maintain


Easy to clean with detergent and water and withstands most hospital grade cleaners. 3M™ DI-NOC™ Architectural Finishes are much easier to repair than wood or veneer, and repairs are virtually invisible at a normal viewing distance. See more ways to repair at 3M.com/DI-NOC.

For additional product information, please reference the 3M™ DI-NOC™ Architectural Finishes Technical Data Sheet and Installation Guide.


3M™ DI-NOC™ Architectural Finishes.

Create a beautiful space without the mess and hassle of a full renovation.


Apply to virtually any surface.




Doors




Elevators



Cabinetry & Millwork



Walls



Ceilings



Columns



Transform public spaces for an elegant first impression.



Create a collaborative environment using 3M™ DI-NOC™ WH-111 Whiteboard Film.



Bring warmth and design to unexpected areas.

Visit 3M.com/AMD to learn more.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property. **Warranty, Limited Remedy, and Disclaimer:** Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. **Limitation of Liability:** Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.



3M Commercial Solutions Division
3M Center, Building 220-12E-04
St. Paul, MN 55144 USA
1-800-328-3908
3M.com/AMD

3M, Comply and DI-NOC are registered trademarks of 3M. Used under license by 3M subsidiaries and affiliates. LEED is a registered trademark of the United States Green Building Council (USGBC). Please recycle. Printed in USA. © 3M 2019. All rights reserved.
75-5100-2765-1 July 2019